

Microsoft Power BI to Maximize BIM and GIS Integration

Case Study

Mostafa Elashmawy Senior BIM & GIS Manager | in/mostafaelashmawy



Speaker

- Mostafa Elashmawy
 - Senior BIM & GIS Manager at WSP Middle East
 - Masters of Global BIM Management
 - BRE Certified Project Information Manager
 - BRE Certified BIM Professional
 - Autodesk Expert Elite
 - RICS Certificate in BIM Project Management
 - o Operam Certified Information Management Practitioner
 - CanBIM Certified Professional P2
 - Autodesk Revit Certified Professional
 - Autodesk Ambassador
 - Autodesk Educator Expert
 - Leader of CanBIM Digitization and Data Glossary
 - Member of CanBIM Digitization and Data Think Tank (DDTT)
 - Leader of The Digital Community Group






Introduction


Building information modelling (BIM) and geographic information system (GIS) integration has become an essential part of large-scale projects.


- While a massive amount of information is produced during the project lifecycle, it's sometimes hard to use it because it's trapped inside the BIM and GIS software.
- This becomes an obstacle for non-users of BIM and GIS-especially on decision-maker levels and from project management perspectives.



Introduction

- Using business intelligence software, Microsoft Power BI, and the support of other software like Autodesk Forge and VCAD, Power BI will be able to present intelligent models and GIS layers in an interactive way connected with all types of trackers.
- In this session, I will present how I created an information centre that acts as the single source of truth for the projects using the interactive connection between Power BI, BIM 360 software, ArcGIS, and trackers in Microsoft Excel to give all team members access to up-to-date information.





Getting Ready

Getting Ready

Software/Platforms

- Navisworks
- BIM 360
- ArcGIS Pro
- Power BI
- VCAD
- MapShaper
- Excel
- Sharepoint






















BIM Models

Aspects to be considered before using BIM Models

- Standards, Methods & Procedures
- QAQC process
- Size of the models to be minimised.
- Federation Strategy
- Project Information to include Plot ID
- Geolocation
- Navisworks NWD files
- Models to be saved on BIM 360.









Clash Detection

- Ensure that elements are defined by GUID
- Export the test result to XML







VCAD


- BIM 360 Admin to activate VCAD plugin
- Load the BIM Model to a VCAD Slot
- Download the VCAD Power BI Template





Dashboards

Clash Detection Dashboards











Dashboards

Model Browsing Dashboards










GIS Layers

- GIS Layers shall be simplified and exported from ArcGIS Pro.
- Each Layer should have a Plot ID attribute.
- Polygons can touch but don't overlap.






mapshaper


- GIS Layers to be imported to mapshaper in any of the following formats:
 - Shapefile
 - GeoJson
 - TopoJson
- Mapshaper transforms GIS layers to TopoJson.








GIS Power BI Visuals






GIS Power BI Visuals

• In Power BI, enable Shape map and Azure map visuals






Example








Information Center






Construction Progress Dashboards








BIM & GIS Integration Dashboards






Project Control Dashboard






Digital twin Dashboard






Recommended Reading

Forge Showroom



ArcGIS Dashboards



Power BI

